

WINE DISPLAY **Refrigerated displays for wine bottles**




With its compact dimensions and stylish design, the BRERA wine display unit is the perfect solution for any kind of premises. The all-glass door, with glossy black decoration around its perimeter, adds elegance to the BRERA Wine Display, guaranteeing maximum visibility to the wine bottles inside.

The LED lights reflect on the cabinet inside and the bottle-handling structures, both in polished steel, enhancing the view of the displayed bottles.

Ideal for champagne, white and red wines, the BRERA Wine Display is fitted with a high-performance refrigeration system with a low-noise compressor. The "touch" digital thermostat shows the temperature at all times and also allows to choose between the ventilated and static mode, the latter being particularly suitable to store different types of wines, thanks to the different temperature settings inside the unit.

INTERNAL FITTINGS NOT INCLUDED

TECHNICAL DATA:




External dimensions (WxDxH)	cm
Doors	nr
Bottles max capacity	nr
Refrigeration type	nr
Max absorbed power **	W
Refrigerated power***	W
Temperature*	°C
Gas	
Defrosting system	
Noise level of condensing unit	
Input voltage	
Climatic class	

WD5/113

81x50x135
1 one-side
56
Static/Ventilated
430
185
+4/+16
R290
Automatic by
pause <43dba
1x230V/50Hz
4


* Ambient temperature +26°C / **Evap. -10°C cond. +45°C / ***ASHARE (Evap. -23,3°C cond. +54,4°C)

INSTALLATION DIAGRAM:




POWER SUPPLY: 230V ~ 1-50Hz
Cable length 1,5 mt (* SHUKO plug)


"BUILT-IN" INSTALLATION DIAGRAM:




ACCESSORIES AND SURCHARGES ON REQUEST:



60001100 S/s shelf (max no. 2 pcs)
Bottles capacity: no. 24



60001110 S/s horizontal bottle-handlings tubes (max no. 2 pcs)
Bottles capacity: no. 24



60001150 S/s top cm 81x50x2h




60002150 Wi-Fi supervising system



40200560 60Hz frequency

60002200 Painted color finishing WD DA SF (overprice)



Prearranged version with valve system